

Publications/Publikációk (2004)

(*Abstract/előadáskivonat)

1. *Bánóczy, Z. Miklán, Zs., Mihala, N., Szabó, R., Reményi, J., Rivas, L., Andreu, D., Hudecz, F. (2004) Synthesis and *in vitro* activity of Arg oligopeptide conjugates with antitumour and antimicrobial drugs. *J. Peptide Science*, 10S, 189
2. Boer, K., Darvas Zs., Bősze Sz., Schwelberger, H., Baki, M., Balai, F., Pal, Zs., Falus A. (2004) Histamine metabolism and CD8(+)T cell infiltration in colon adenomas. *Inflamm. Res.*, 53, 83-84
3. Bősze, S., Caccamo, N., Majer, Z., Mező, G., Dieli, F., Hudecz, F. (2004) *In vitro* T-cell immunogenicity of oligopeptides derived from the region 92-110 of the 16-kDa protein of *Mycobacterium tuberculosis*. *Biopolymers*, 76, 467-476
4. *Bősze, S., Ligeti, M., Magyar, A., Medzihradzsky-Schweiger, H., Hudecz F. (2004) Study of the enzymatic degradation of carbamoyl-nociceptin analogues. *J. Peptide Science*, 10S, 254
5. *Bősze, Sz., Mező, G., Caccamo, N., Dieli, F., Andreu, D., Tsikaris, V., Sakarellos, C., Hudecz, F. (2004) Synthesis and *in vitro* effect of peptide conjugates from 38 kDa protein of *M. tuberculosis* on T-cell proliferation and IFN-gamma production. *J. Peptide Science*, 1, S287
6. *Brózik, M., Magyar, A., Hudecz, F., Winkler, V., Balogh, Zs., Palkonyai, É., Szűts, I., Schmidt, Zs., Polgár, A., Bálint, G., ifj. Gergely, P., Kelemen, J., Ujfalussy, I., Koó, É., Merétey, K., ((2004) Rheumatoid arthritises betegek szérumában és synoviális folyadékában előforduló antifilaggrin antitestek specificitásának vizsgálata. *Magyar Reumatológia*, 45, 163

7. Caccamo, N., Meraviglia, C., La Mendola, C., Bösze, Sz., Hudecz, F., Iványi, J., Dieli, F., Salerno, A. (2004) Characterization of HLA-DR- and TCR-binding residues of an immunodominant and genetically permissive peptide of 16-kDa protein of *Mycobacterium tuberculosis*. *Eur. J. Immun.*, 34, 2220-2229
8. Hudecz, F. (2004) Peptides at the turn of the Century. *Chimica Oggi/Chemistry Today*, 22, 10-12
9. *Jakab, A., Mező, G., Láng, O., Török, K., Kóhidai, L., Hudecz, F. (2004) Synthesis and chemotactic activity of conjugates containing for-Met-Leu-Phe chemotactic peptide. *J. Peptide Science*, 10S, 163
10. Jókuti, A., Schwelberger, H., Darvas, Zs., Pál, Zs., Bösze, Sz., Falus, A., Hirschberg, A. (2004) Histamine metabolism is altered in nasal polyposis. *Inflamm. Res.* 53, 93-94
11. Faragó, J., Novák, Z., Schlosser, G., Csámpai, A., Kotschy, A. (2004) The azaphilic addition of organometallic reagents on tetrazines: scope and limitations. *Tetrahedron*, 60, 1991-1996
12. Kállay, C., Cattari, M., Sanna, D., Várnagy, K., Süli-Vargha, H., Csámpai, A., Sóvágó, I., Micera, G. (2004) Copper(II) complexes of amino acid derivatives of the bis(imidazol-2-yl)methyl residue. *New J. Chem.*, 28, 727-734
13. *Kocsis, L., Magyar, A., Orosz, Gy. (2004) Ethylene Glycol based Protecting Groups. *J. Peptide Science*, 10S, 128
14. Kocsis, L., Orosz, Gy., Magyar, A., Al-Khrasani, M., Kató, E., Rónai, A.Z., Bes, R., Meunier, J.C., Gündüz, Ö., Tóth, G., Borsodi, A., Benyhe, S. (2004) Nociceptin antagonism: probing

the receptor by N-acetyl oligopeptides. *Regulatory Peptides*, 122, 199-207

15. Kovács, G.G., László, L., Kovács, J., Jensen, P.H., Lindersson, E., Botond, G., Molnár, T., Perczel, A., Hudecz, F., Mező, G., Erdei, A., Tirian, L., Lehotzky, A., Gelpi, E., Budka, H., Ovádi, J. (2004) Natively unfolded tubulin polymerization promoting protein TPPP/p25 is a common marker of alpha-synucleinopathies. *Neurobiol. Dis.*, 17, 155-162
16. Kovács, K., Kamnev, A.A., Shchelochkov, A.G., Kuzmann, E., Medzihradsky-Schweiger, H., Mink, J., Vértes, A. (2004) Mössbauer spectroscopic evidence for iron(III) complexation and reduction in acidic aqueous solutions of indole-3-butyric acid. *J. Radioanal. Nuclear Chemistry* 262, 151-156
17. Kőhidai, L., Kun, L., Csaba, G., Mihala, N., Majer, Zs., Süli-Vargha, H. (2004) Cell-physiological effects of elastin derived (VGVAPG)_n oligomers in a unicellular model system. *J. Peptide Science*, 10, 427-438
18. *Kőhidai, L. Láng, O., Illyés, E., Láng, J., Török, K., Mező, G., Hudecz, F. (2004) Tuftsin/formil-peptid konjugátumok kemotaktikus jellegének vizsgálata egysejtű modell-rendszerben – A hordozó molekula módosító hatása a ligand kemotaktikus jellegére. *Magyar Immunológia*, 3, 46
19. Kremmer, T., Ludányi, K., Szöllősi, É., Imre, T., Schlosser, G., Boldizsár, M., Vincze, B., Vékey, K. (2004) Liquid chromatographic and mass spectrometric analysis of human serum acid alpha-1-glycoprotein. *Biomed. Chrom.*, 18, 323-329
20. *Krikorian, D., Biris, N., Stavrakoudis, A., Sakarellos C., Andreu, D., Mező, G., Hudecz, F., Cung M.T., Tsikaris V. (2004) ¹H-NMR conformational studies of the gD [Nle¹¹] 9-22 antigenic region of herpes simplex virus glycoprotein D. *J. Peptide Science*, 10S, 281

21. *Láng, O., Birinyi, J., Láng, J., Mező, G., Hudecz, F., Kőhidai, L. (2004) Chemotactic effects of formyl peptide conjugates on differently differentiated cell lines. *Magyar Immunológia*, 3, 50

22. *Manea, M., Horváti, K., Mező, G., Cecal, R., Tian, X., Stefanescu, R., Hudecz, F., Przybylski, M. (2004) Synthesis, antibody recognition and enzymatic stability of linear, cyclic and branched polypeptides containing a β -amyloid plaque specific epitope. *J. Peptide Science*, 10S, 291

23. Manea, M., Mező, G., Hudecz, F., Przybylski, M. (2004) Polypeptide conjugates comprising a beta-amyloid plaque-specific epitope as new vaccine structures against Alzheimer's disease. *Biopolymers*, 76, 503-511

24. Marokházi, J., Kóczán, Gy., Hudecz, F., Gráf, L., Fodor, A., Venekei, I. (2004) Enzymatic characterization with progress curve analysis of a collagenolytic enzyme from an entomopathogenic microorganism, *Photobacterium luminescens*. *Biochemical Journal*, 379, 633-640

25. Medgyesi, D., Uray, K., Sallai, K., Hudecz, F., Koncz, G., Abramson, J., Pecht, I., Sármay, G., Gergely, J. (2004) Functional mapping of the Fc gamma RII binding site on human IgG1 by synthetic peptides. *Eur. J. Immunol.*, 34, 1127-1135

26. *Mező, G., Jakab, A., Czajlik, A., Perczel, A., Farkas, V., Majer, Zs., Kapuvári, B., Vincze B., Csuka, O., Hudecz, F. (2004) Synthesis, structure and antitumour activity of GNRH-III derivatives. *J. Peptide Science*, 10S, 255

27. Mező, G., Kalászi, A., Reményi, J., Majer, Zs., Hilbert, Á., Láng, O., Kőhidai, L., Barna, K., Gaál, D., Hudecz, F. (2004) Synthesis, conformation, and immunoreactivity of new carrier molecules based on repeated tuftsin-like sequence. *Biopolymers*, 73, 645-656

28. Medgyesi, D., Uray, K., Sallai, K., Koncz, G., Hudecz, F., Abramson, J., Pecht, I., Sármay G., Gergely, J. (2004) Functional mapping of the Fc γ RII binding site on human IgG1 by synthetic peptides. *Eur. J. Immunol.* 34: 1127-1135
29. Mező, G., Manea, M., Jakab, A., Kapuvári, B., Bősze, Sz., Schlosser, G., Przybylski, M., Hudecz, F. (2004) Synthesis and structural characterization of bioactive peptide conjugates using thioether linkage approaches. *J. Peptide Science*, 10, 701-713
30. *Mihala, N., Füzéry, AK., Szabó, P., Perczel, A., Giavazzi, R., Süli-Vargha, H. (2004) Synthesis, structure and deamidation of NGR-cyclopeptides. *J. Peptide Science*, 10S, 276
31. *Ortiz, A., Hudecz, F., Reményi, J., Sospedra, P., Reig, F. (2004) Mixed monolayers of DPPC/poly-lysine constructs. *J. Peptide Science*, 10S, 292
32. Ősz, K., Várnagy, K., Süli-Vargha, H., Csámpay, A., Sanna, D., Micera, G., Sóvágó, I. (2004) Acid-base properties and copper(II) complexes of dipeptides containing histidine and additional chelating bis(imidazol-2-yl) residues. *J. Inorg. Biochemistry*, 98, 24-32
33. Pál, J., Marczinovits, I., Hudecz, F., Tóth, GK., Mező, G., Molnár, J., Németh, P. (2004) Modeling of main characteristics of bullous pemphigoid antigen-2 (BPAG2) peptide structure in serological recognition by autoantibodies. *Pathol. Oncol. Res.*, 10, 52-56
34. *Przybylski, M., Tian, X., Cecal, R.E., Marquardt, A., Manea, M., Amstalden, E., Mező, G., Hudecz, F., McLaurin, J., St. George-Hyslop, P. (2004) Affinity proteomics and mass spectrometric epitope analysis: powerful tools for identification of vaccine lead structures against Alzheimer's disease. *J. Peptide Science*, 10S, 296

35. Reményi, J., Reig, F., Sospedra, P., Ortiz, A., Hudecz, F. (2004) Thermo-dynamic characterisation of DPPC/polylysine derivatives mixed monolayers. *J. Phys. IV France* 122, 217-221
36. *Süli-Vargha, H., Mihala, N., Morandini, R., Kok, R.J., Ghanem, G. (2004) Integrin receptor binding and cytotoxicity of cyclopeptides and their Chlorambucil conjugates containing RGD or NGR sequences. *Eur. J. Cancer*, 2S, 41
37. Szöllösi, É., Kremmer, T., Ludányi, K., Imre, T., Schlosser, G., Boldizsár, M., Vincze, B., Vékey, K. (2004) A novel method for the separation and purification of human serum acid alpha-1-glycoprotein. Liquid chromatographic and mass spectrometric investigation of tryptic fragments. *Chromatographia*, 60, S213-219
38. Tompa, P., Buzder-Lantos, P., Tantos, Á., Farkas, A., Szilágyi, A., Bánóczy, Z., Hudecz, F., Friedrich, P. (2004) On the sequential determinants of calpain cleavage. *J. Biol. Chem.*, 279, 20775-20785
39. *Uray, K., Bartos, Á., Kiss, A., Tugyi, R., Iván D., Windberg, E., Majer, Zs., Perkins, A., Hudecz, F. (2004) Identification and structural modification of antibody epitopes of MUC2 glycoprotein. *J. Peptide Science*, 10S, 32
40. Uray, K., Medgyesi, D., Hilbert, Á., Sármay, G., Gergely, J., Hudecz, F. (2004) Synthesis and receptor binding of IgG1 peptides derived from the IgG Fc region. *J. Mol. Recognition.*, 17, 95-105
41. Windberg, E., Uray, K., Illyés, E., Skribanek, Zs., Price, M.R., Sebestyén, F., Hudecz, F. (2004) Heteroclitic recognition of combinatorial (TXTXT)-T-1-T-2 peptide mixtures by mucin-2 protein specific monoclonal antibody. *J. Peptide Science*, 10, 56-65

