

Publications/Publikációk (2005)

(*Abstract/előadáskivonat)

1. *Bánóczy, Z., Tantos, Á., Tompa, P., Kristóf, Z., Csík, G., Friedrich, P., Hudecz, F. (2005) Intracellular targeting of calpastatin derived peptides. *FEBS J.*, 272, 525
2. Di Natale, G., Grasso, G., Impellizzeri, G., La Mendola, D., Micera, G., Mihala, N., Nagy, Z., Ósz, K., Pappalardo, G., Rigó, V., Rizzarelli, E., Sanna, D., Sóvágó, I. (2005) Copper(II) interaction with unstructured prion domain outside the octarepeat region speciation, stability, and binding details of copper(II) complexes with PrP106-126 peptides. *Inorg. Chem.*, 44, 7214-7225
3. Füzéry, A., Mihala, N., Szabó, P., Perczel, A., Giavazzi, R., Süli-Vargha, H. (2005) Solution state conformation and degradation of cyclopeptides containing an NGR motif. *J. Pept. Sci.*, 11, 53-59
4. *Horváti, K., Manea, M., Bősze, S., Mező, G., Przybylski, M., Hudecz, F. (2005) Influence of flanking and cyclisation of a β -amyloid peptide derived B-cell epitope on the antibody recognition and enzymatic stability. *FEBS J.*, 272, 534
5. Hudecz, F. Bánóczy, Z., Csík, G. (2005) Medium-sized peptides as carrier for biologically active compounds. *Medicinal Research Reviews*, 25, 679-786
6. Imre, T., Schlosser, G., Pocsfalvi, G., Siciliano, R., Molnár-Szöllősi, É., Kremmer, T., Malorni, A., Vékey, K. (2005) Glycosylation site analysis of human alpha-1-acid glycoprotein (AGP) by capillary liquid chromatography – electrospray mass spectrometry. *J. Mass Spectrom.*, 40, 1472-1483
7. *Janes, R.W., O'Boyle, F., Mező, G., Hudecz, F. (2005) Structural investigations of α -Conotoxin SI chimeras containing epitopes from Herpes Simplex Virus and cancer-related Mucin proteins reveal notable conformational differences. *FEBS J.*, 272, 526
8. *Kőhidai, L. Láng, O., Mező, G., Hudecz, F. (2005) A kemoattraktáns molekulák családjának új tagjai: az SZWS peptidek. *Magyar Immunológia*, 4, 25
9. *Kún, L., Láng, O., Bai, K., Süli-Vargha, H., Mező, G., Hudecz, F., Kőhidai, L. (2005): A tuftsin- és a methotrexát tartalmú fMLF-konjugátumok sejtadháziót moduláló és kemotaktikus hatása THP-1 leukémiás monocytasejteken. *Magyar Immunológia*, 4, 26

10. *Kun L, Süli-Vargha H, Mihala N, Tóth M, Kőhidai L. (2005) Effects of vasoactive peptides on adhesion and chemotaxis elicited by extracellular matrix protein sequences. *FEBS J.*, 272, 272
11. *Láng, O., Birinyi, J., Bai, K., Mező, G., Hudecz, F., Kőhidai, L. (2005) A tuftsin- és a methotrexát tartalmú konjugátumok által kiváltott kemotaktikus drugtargeting szénhidrát-specificitásának vizsgálata THP-1 monocytasejteken. *Magyar Immunológia*, 4, 28
12. *Láng, O., Birinyi, J., Bai, K., Mező, G., Hudecz, F., Kőhidai, L. (2005) Suitability of peptide conjugates containing formyl-peptide residue for chemotactic drug-targeting (CDT). *FEBS J.*, 272, 527
13. Ligeti, M., Gündüz, Ö., Magyar, A., Kató, E., András Z. Rónai, A.Z., Vita, C., Hudecz, F., Tóth, G., Borsodi, A., Benyhe, S. (2005) Synthesis and biological studies of nociceptin derivatives containing the DTPA chelating group for further labeling with therapeutic radionuclides. *Peptides*, 26, 1159-1166
14. *Madarász, E., Levkovets, I., Nardai, S., Hudecz, F., Varga, H.S., Hild, E., Erdélyi, K., Szendrő, I. (2005) Attachment of NE-4C neuroectodermal stem cells to different surfaces: evaluation of cell – substrate interactions by optical waveguide light mode spectroscopy (OWLS). *Biokémia*, 19, 39
15. *Magyar, A., Brózik, M., Kis, L., Tamás, K., Böhm, U., Merétey, K., Hudecz, F. (2005) Antifilaggrin antibodies in serum and synovial fluid samples of patients with rheumatoid arthritis. *FEBS J.*, 272, 499
16. Manea, M., Hudecz, F, Przybylski, M., Mező, G. (2005) Synthesis, solution conformation and antibody recognition of oligotuftsin based conjugates containing a β -amyloid(4-10) plaques specific epitope *Bioconjugate Chemistry*, 16, 921-928
17. *Marokházi, J., Felföldi, B., Mihala, N., Hudecz, F., Patthy, A., Fodor, A., Gráf, L., Venekei, I. (2005) Identification of cleavage site and natural substrate specificity of PrtA, a serralyisin-type metalloprotease from the entomopathogenic microorganism *Photorhabdus*. *FEBS J.*, 272, 161
18. *Mező, G., Czajlik, A., Jakab, A., Bodor, A., Farkas, V., Vass, E., Majer, Z., Kapuvári, B., Vincze, B., Csuka, O., Kovács, M., Perczel, A., Hudecz, F. (2005) Structure-biological activity relationship of GnRH-III and its dimer derivatives. *FEBS J.*, 272, 526
19. *Miklán, Z., Sum, A., Reményi, J., Sztaricskai, F., Schlosser, G., Hudecz, F. (2005) Oligoarginine for delivering daunomycin using squaric acid linker. *FEBS J.*, 272, 527

20. Nemes, P., Schlosser, G., Vékey, K. (2005) Amino acid cluster formation studied by electrospray ionization mass spectrometry. *J. Mass Spectrom.*, 40, 43-49
21. Petrohai, Á., Nagy, G., Bősze, Sz., Hudecz, F., Zsiros, E., Paragh, G., Németh, P., Berki, T. (2005) Detection of citrate synthase reacting autoantibodies after heart transplantation: an epitope mapping study. *Transpl Int.*, 17, 834-840
22. Pollreisz, F., Gömöry, Á., Schlosser, G., Vékey, K., Solt, I., Császár, A.G. (2005) Mass spectrometric and quantum-chemical study on the structure, stability, and chirality of protonated serine dimers. *Chem. Eur. J.*, 11, 5908-5916
23. *Reményi, J., Hegedűs, T., Kovács, P., Csík, G., Sarkadi, B., Hudecz, F. (2005) In vitro antitumor effect and localization of daunomycin-polypeptide conjugate in sensitive and resistant cell lines. *FEBS J.*, 272, 528
24. *Reményi, J., Miklán, Zs., Csík, G., Mező, G., Gaál, D., Kovács, P., Sarkadi, B., Hudecz, F. (2005) Drug targeting by peptide conjugates. *Scientia Pharmaceutica*, 73, KL-5
25. Samanta, B., Mező, G., Das, K. P., Ghose, A.C., Hudecz, F., Sen, P.C. (2005) Efficacy of the phosphorylation of synthetic peptides by purified catalytic subunit of PKA (PKAc_{at}) from bovine lens depends on the amino acid sequence of the peptides. *J. Peptide Research*, 65, 445-449
26. *Schlosser, G., Cuccurullo, M., Cacace, G., Sorrentino, A., Malorni, A., Pocsfalvi, G. (2005) Identification of staphylococcal exoproteins by two dimensional gel electrophoresis and mass spectrometry. *FEBS J.*, 272, 50
27. Schlosser, G., Pocsfalvi, G., Huszár, E., Malorni, A., Hudecz, F. (2005) MALDI-TOF mass spectrometry of a combinatorial peptide library: effect of matrix composition on signal suppression. *J. Mass Spectrom.*, 40, 1590-1594
28. Schlosser, G., Vékey, K., Malorni, A., Pocsfalvi, G. (2005) Combination of solid-phase affinity capture and mass spectrometry to study non-covalent interactions: example of minor groove binding drugs. *Rapid. Commun. Mass Spectrom.*, 19, 3307-3314
29. *Szabó, R., Peiser, L., Plüddemann, A., Bősze, S., Gordon, S., Hudecz, F. (2005) The role of the scavenger receptor-A in the internalization of branched polypeptides with poly[L-Lys] backbone by bone-marrow derived murine macrophages. *FEBS J.*, 272, 529
30. Szabó, R., Peiser, L., Plüddemann, A., Bősze, S., Heinsbroek, S., Gordon, S., Hudecz, F. (2005) Uptake of branched polypeptides with

poly[L-Lys] backbone by bone-marrow derived murine macrophages: The role of the class A scavenger. *Bioconjugate Chemistry*, 16, 1442-50

31. *Szabó, R., Peiser, L., Plüddemann, A., Mező, G., Bősze, Sz., Kóhidai, L., Gordon, S., Hudecz, F. (2005) A polilizin gerincű polipeptidek felvétele a J774-sejtekbe és az egércsontvelő eredetű macrophagokba. A scavenger receptor szerepe a polianionos polipeptidek sejtbe jutásában. *Magyar Immunológia*, 4, 28
32. Szebeni, A., Schloot, N., Kecskeméti, V., Hosszúfalusi, N., Pánczél, P., Prohászka, Z., Füst, G., Uray, K., Hudecz, F., Meierhoff, G. (2005) Th1 and Th2 cell responses of type 1 diabetes patients and healthy controls to human heat-shock protein 60 peptides AA437-460 and AA394-408. *Inflamm. Res.*, 54, 415- 419
33. Sztaricskai, F., Sum, A., Roth, E., Pelyvás, I.F., Sándor, Sz., Batta, Gy., Herczegh, P., Reményi, J., Miklán, Zs., Hudecz, F. (2005) A new class of semisynthetic anthracycline glycoside antibiotics incorporating a squaric acid moiety. *J. Antibiotics*, 58, 704-714
34. Tugyi, R., Mező, G., Fellingner, E., Andreu, D., Hudecz, F. (2005) The effect of cyclization on the enzymatic degradation of herpes simplex virus glycoprotein D derived epitope peptide. *J. Peptide Sci.*, 11, 642-649
35. *Tugyi, R., Schlosser, G., Uray, K., Iván, D., Fellingner, E., Hudecz, F. (2005) Effect of D-amino acid substitution on the stability of the MUC2 epitope peptide TPTPTGTQTPT; identification of the degradation fragments by a Q-TOF system. *FEBS J.*, 272, 393
36. Tugyi, R., Uray, K., Iván, D., Fellingner, E., Perkins, A., Hudecz, F. (2005) Partial D-amino acid substitution: improved enzymatic stability and preserved antibody recognition of a MUC2 epitope peptide. *PNAS*, 102, 413-418
37. *Uray, K., Bartos, Á., Sármay, G., Hudecz, F. (2005) IgG Fc binding peptide chimeras. *FEBS J.*, 272, 530
38. *Uray, K., Hudecz, F., Füst, Gy., Prohászka, Z. (2005) Az anti-Hsp60 autoantitestek epitóptérképezése coronariabetegekben. *Magyar Immunológia*, 4, 42
39. Veliceasa, D., Tauscher, G., Surányi, G., Kós, P.B., Likó, I., Santore, U., Proll, E., Ehrig, F., Uray, K., Hudecz, F., Kühne, T., Lukács, N. (2005) Production of monoclonal antibodies and identification of their epitopes on Barley Mild Mosaic virus coat protein. *Arch. Virol.*, 50, 2501-2512